REPORT

OF THE

## Mortality of the Borough of Redford,

AND OF

## THIRTY-NINE RURAL PARISHES,

CONSTITUTING THE

### BEDFORD UNION.

PRESENTED TO THE BOARD OF GUARDIANS,

BY T. HERBERT BARKER, M.D., (LOND.).

Fellow of the Royal College of Surgeons, &c.

PRESENTS by the AUTHO

BEDFORD:

JOHN G. NALL, PRINTER AND BOOKSELLER, HIGH STREET.

1854.



THE following Tables of the Mortality of Bedford and the fourteen neighbouring parishes, were commenced some months ago, simply for my own information on the relative mortality of the town and the rural districts. Upon their completion at considerable cost of time and labour, they were thought to be worthy of public circulation, and with this object, they were presented to the Board of Guardians, who have shewn the greatest activity in the promotion of sanitary measures.

The Guardians were pleased to express their favourable opinion of my Report, and intimated a desire that similar Tables should be made with respect to the other twenty-five rural parishes in the Union. To this request I readily responded, and the Guardians have ordered the publication of both Reports in their present form.

The calculation of the precise mortality in Bedford is greatly complicated by our public Institutions. In procuring correct data with regard to these cstablishments, I have been kindly assisted by Mr. Samuel Wing, Mr. Matthews, resident medical officer of the County Asylum, and Mr. Sharpin, house-surgeon to the General Infirmary.

I am also indebted to Mr. S. Wing for access to the Register Books of Deaths in his custody as Superintendent Registrar, and for having carefully inspected the numerous figures, from which the results contained in these Tables have been deduced. This fact will be a guarantee for their correctness.

Through the kindness of Samuel Charles Whitbread, Esq., I am enabled to annex the monthly Meteorological Observations taken at Cardington during seven years and a half of the period embraced by the Tables.

T. H. B.

### CONTENTS.

TABLE I.—Deaths from all causes in the five Bedford Parishes, from July 1st, 1837, to June 30th, 1853, (sixteen years), inclusive of deaths in the Public Institutions.

(The Diseases in this, and in Tables XII and XVII, are arranged in the order adopted by the Registrar-General in his reports).

- Table II.—Deaths from Zymotic and a few other Diseases, in the parish of St. Paul, Bedford, from July 1st, 1837, to June 30th, 1853.
- TABLE III.—Deaths from Zymotic and a few other Diseases, in the parish of St. Peter, Bedford, from July 1st, 1837, to June 30th, 1853.
- TABLE IV.—Deaths from Zymotic and a few other Diseases, in the parish of St. Mary, Bedford, from July 1st, 1837, to June 30th, 1853.
- Table V.—Deaths from Zymotic and a few other Diseases, in the parish of St. Cuthbert, Bedford, from July 1st, 1837, to June 30th, 1853.
- Table VI.—Deaths from Zymotic and a few other Diseases, in the parish of St. John, Bedford, from July 1st, 1837, to June 30th, 1853.
- Table VII.—Deaths in separate years in each of the Bedford parishes, together with the Totals for the sixteen years, inclusive of Deaths in the Public Institutions.
- Table VIII.—Deaths per Thousand in each of the Bedford parishes for the sixteen years, *inclusive* of Deaths in the Public Institutions.

(Calculations have been made for the increase of population).

Thale IX.—Deaths in separate years in each of the Bedford parishes, together with the Totals for the sixteen years, exclusive of Deaths in the Public Institutions of persons not belonging to Bedford.

(In this Table the deaths in the public institutions, of persons belonging to Bedford, have been assigned to their respective parishes).

TABLE X.—Deaths per Thousand in each of the Bedford parishes for the sixteen years, exclusive of Deaths in the Public Institutions of persons not belonging to Bedford.

(Calculations have been made for the increase of population, and also for the proportion of the population of the public institutions, not

belonging to Bedford at the several census periods).

TABLE XI.—Deaths per Thousand in each of the Bedford parishes for seven years, from July 1st, 1846, to June 30th, 1853, exclusive of Deaths in the Public Institutions of persons not belonging to Bedford.

(Calculations have been made for the increase of population in the several parishes, and for the population of the several public institutions).

TABLE XII.—Deaths from all Causes in the fourteen rural parishes eonstituting (with the Bedford parishes,) the Bedford and Cardington, and the Bedford and Kempston Sub-Districts, from July 1st, 1837, to June 30th, 1853, (sixteen years).

TABLE XIII .- Deaths in separate years in each of the fourteen rural parishes, together with the totals for the sixteen years.

TABLE XIV .- Deaths per Thousand in each of the fourteen rural parishes for the sixteen years.

(Calculations have been made for the increase of population, and the deaths in the public institutions, of persons belonging to these parishes, have been assigned to their respective parishes).

TABLE XV.—Age at death of all Persons who died in the five Bedford

parishes during the sixteen years.

TABLE XVI.—Age at death of all Persons who died in the fourteen rural parishes of the Bedford and Cardington, and Bedford and Kempston Sub-Districts, during sixteen years.

TABLE XVII.—Deaths from all Causes in the twenty-five rural parishes constituting the Barford, Harrold, Risely, Sharnbrook, and Turvey Sub-Districts, from July 1st, 1837, to June 30th,

1853, (sixteen years).

Table XVIII.—Deaths in separate years in the twenty-five parishes eonstituting the Barford, Harrold, Risely, Sharnbrook, and Turvey Sub-Districts, together with the respective Totals for the sixteen years.

TABLE XIX.—Deaths per Thousand in each of the twenty-five rural

parishes for the sixteen years.

(Calculations have been made for the increase of population, and the deaths in the public institutions, of persons belonging to these parishes, have been assigned to their respective parishes).

TABLE XX.—Monthly Means of Meteorological Observations, taken at the observatory of Samuel Charles Whitbread, Esq., at Cardington, from December, 1845, to July, 1853.

TABLE XXI.-Monthly Means of Meteorological Observations, taken

at Bedford, from September, 1850, to July, 1853.

TABLE XXII.-Mean Annual Temperature, and Annual Quantity of Rain in inches, at Cardington, from 1845, to June 30th 1853, and at Bedford, from 1850, to June 30th, 1853.

TABLE XXIII.—Summary of the Principal Results from the foregoing Tables.

A CHARLEST NAME OF THE PARTY OF		
m	Δ <u>2</u>	
E .		
Ö.		
CID	9	
闰	<u> </u>	_
7.		
D	52	
F	%	
	27	Ī
E#3.	တို	
1500		
8	Ţ	
82	50	
	18	
E E	9	Ĩ
2 D	6-6	
H	84	
MH		,
17	Ĭ.	
PF	48	l
P [	18	1
40	φ	Ī
	1	ĺ
No.	85	1
H M	-7-	1
H P	1	1
20 24	340	1
国	18	l
田田	ဗ္	ĺ
Z =	5	ŀ
H	8	١
		ŀ
2 2		ļ
Щ.	44	l
	82	ı
是 三	4	ĺ
7 5	က္	l
F A	84	ı
0	-	1
图日		ļ
M F	3	l
	188	l
	31	Ī
28		l
	o o	ļ
7,7		<u>₹</u>
田民		ļ
田乃	7.	l
17	18	ļ
	40	1
AH	6	l
H .	83	l
200	-	1
H SS		ļ
SS PH	333	I
7	18	1
TABLE I.—DEATHS FROM ALL CAUSES IN THE FIVE BEDFORD PARISHES FROM JULY 18T, 1837, TO JUNE 30TH, 1853, (SIXTEEN YEARS); INCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS.	$1837 - 8 \ 1838 - 9 \ 1839 - 40 \ 1840 - 1 \ 1841 - 2 \ 1842 - 3 \ 1843 - 4 \ 1844 - 5 \ 1845 - 6 \ 1846 - 7 \ 1847 - 8 \ 1848 - 9 \ 1849 - 50 \ 1850 - 1 \ 1851 - 2 \ 1852 - 3 \ TOTALS$	1
OP	37.	ı
HH	တိ	١
三 图	1-	i
4 6	1	l
		l
ZX	1	١
OH		ł
H (2)		I
田	CAUSES OF DEATH	1
70 00	D	1
SS	(T)	1
H	0	1
7	0	1
B	P	1
0.1	SI	1
7	14	1
	Ü	1
H		-
FT		1
3		1
8		1
7		ļ
8		1
	1	9

26 80 11444 1171 1171 1180 118

: 1 2 3 : 6 3 8 8 8 4 1 B

Phthisis or Consumption ..... Hydrocephalus .....

ephalitis

Tabes Mesenterica..... Scrofula .....

Diseases.

Diseases of the Tubereulur Diseases of the

.36.

ays for

Delirium tremens

Brain, &c.

Mortification .....

Cancer ....

Purpura

Small-pox ..... Measles .....

Croup .....

Thrush

Dysentery

Zymotic Diseases.

Influenza

Diarrhea

Hooping cough

Fever .....

Puerperal fever

Rheumatie fever Erysipelas

Hæmorrhage .....

or uncertain seat.

: :2 :8

of additional references	
had .	02
5.	M
$\widetilde{\approx}$	
4.5	이
<b>6</b>	
	က
74.	
<b>D</b>	55
5	19-40 1840-1 1841-2 1842-3 1843-4 1844-5 1845-6 1846-7 1847-8 1848-9 1849-50 1850-1 1851-2 1852-3 TOTALS
0	67
0	-
His	, j
- 5.5	$\infty$
100	
8	
00 2	0
TO.	35
	32
<u> </u>	0
20 =	ñ
	Ó
$\Box$	80
MH	
THE STATE OF THE S	0,
70	
	7
<b>D</b> C	00
. • >	
40	ထု
40	1
OF	4
N H	00
- m	- 7-
AR	7
	9
20 PH	4
鱼	82
HE	- co
}-i-i	Ĭ
SO H	70
HH	84
~ ~	, ~
1	- 50 _
7	· I
щ	7.
- 70	8
~ FF	4
7 5	00
0	4
E 23	00
OH	
= 0	65
FIC	67
m rt.	4
	00
G 0	
7.	24
HP,	4
FC	1 2
77	
AK	
110	1 9
7	000
H G	
	0
フタ	4
	66
	00
(C)	1
E 20	C
20 03	1 00
世四	(n)
DY	000
4 6	
TABLE I.—DEATHS FROM ALL CAUSES IN THE FIVE BEDFORD PARISHES FROM JULY 18T, 1837, TO JUNE 30TH, 1853, (SIXTEEN YEARS); INCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS.	1837-8 1838-9 1839-
	L
	65
HZ	118
日母	1
7 2	
ME	
JE	
ZV	
00	CAUSES OF DEATH.
27 75	
H E	1 5
Tr.	( <del>-</del> 1
1	H
70 50	1
<b>H</b> 12	E
四 3	
FI	0
	70
3	[-1
至	70
0	T C
7	
	- 24
1	
<b>E</b>	
1	
œ'	
2	
8	
	1

A similar of	
Ħ,	3
Ţ.	A
o o	TC
盘	<u>[1</u>
5	က
5.	52
IN THE FIVE BEDFORD PARISHES FROM JULY 18T, 1837, TO JUNE 30TH, INCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS.	$9-40 \left  1840-1 \right  1841-2 \left  1842-3 \right  1843-4 \left  1844-5 \right  1845-6 \left  1846-7 \right  1847-8 \left  1848-9 \right  1849-50 \left  1850-1 \right  1851-2 \left  1852-3 \right  TOTALS \left  1849-50 \right  1849-50 \left  1850-1 \right  1851-2 \left  1852-3 \right  TOTALS \left  1849-50 \right  1849-50 \left  1849-50 \right  1850-1 \left  1851-2 \right  1852-3 \left  1851-2 \right  1851-2 \left  1851-2 \right  $
	-2
E.	51
- 02.	18
S 37	-1-
8 Z	50
10	18
F, F	50
# P.	49-
Z	18
	6
戶是	48
PH	18
40	φ
	47
系 三 三	18
	1-
70 2	46
耸   _	18
	9
	45
2 5	18
AZ	, j
	44
0 23	188
22 円	4
0 7	43
百百	18
	က
18	42
	18
E C	ς <sub>1</sub>
	41
百日	18
E &	7
	40
	18
1	40
	-68
70	18
留分	6
र्घ स	38
P	18
N E	တ
	1837-8 1838-9 1839
HZ	18
TABLE I.—DEATHS FROM ALL CAUSES IN THE FIVE BEDFORD PARISHES FROM JULY 1st, 1837, TO 1853, (SIXTEEN YEARS); INCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS.	
THE STATE OF THE S	
OH	H
R &	¥1
H	CAUSES OF DEATH.
S 13	9
H S	)F
5	70
B	甾
5	l SD
	T
	0
BI	
A	
E	
	-

6	166 23 58 58 11 11 12 23 33 33 33 44 11 11 11 11 11 11 11 11 11 12 13 14 14 14 14 15 16 16 16 17 17 17 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	555	4.481
\$ ¢1	E404 : :	:≓	277
• :	: 1 - 4 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	16	266
4 67	28.1 : : : : : : : : : : : : : : : : : : :	- r-	248
:	: <del>1</del> .ø : : : : ø	10	336
:	:5 :u : :ugu4 :u : ::uug :u : :u ::u ::u ::u ::ug :::u ::u	1 29	274
-	4.8.1.4. : 1. : 1.4.0. : : . : . : . : . : . : . : .	28	399
3	. 2. 1. 0 : 1 : 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	3	405
-	:314 : : : : : : : : : : : : : : : : : : :	3.4	259
1	:0000 : : : : : : : : : : : : : : : : :	20	258
1	:ess : :: : : : : : : : : : : : : : : :	1 52	293
-	адада : : :0, : : . :u :0, : :0, : : : : : : : : : : : : : : :	:4	237
1	: " "	34:	212
	: o, : o, : : : : : : : : : : : : : : :	48 2	259
1	; or or a the second of the se	19	290
	[	57	229
:	دى : نا : : نا : : نا : : نا الله الله الله الله الله الله الله ا	5 41	239
1		nded	
	nes Il canal &e. e. e.	stsinel	
7	ngs, &e.  ligna ligna fintestines  fintestinal canal mestinal canal mestinal canal mestinal canal mestinal canal mestinal canal mach, &e.  cr cr cr cr manach manac	ion, &e	
4	a e of lungs, &e.  Ing ehe maligna  y  its  its  itis  itis  ition of intestines  to fintestinal canal  e of stomach, &e.  tis  ce  tis  of splcen  itis  of liver  ce  atism  of loints  of uterus, &e.  atism  of loints  of uterus, &e.  atism  of loints  of uterus, &e.  atism  of liver  atism  of liver  of uterus, &e.  atism  of liver  atism  of liver  of uterus, &e.  atism  of liver  atism  of liver  atism  of liver  atism  of liver  of uterus, &e.  atism  of liver  atism  of liver  of uterus, &e.  atism  of liver  of uterus, &e.  atism  of liver  atism  of liver  of uterus, &e.	uffocati pecified	Totals
Sales and	Asthma  Disease of lungs, &e.  Teething Cynanche maligna Quinsey Gastritis Enteritis Peritonitis Ulceration of intestines Hernia Ileus Intussusception Stricture of intestinal canal Disease of stomach, &e. Hepatitis Jaundice Disease of stomach, &e.  Rephritis Nephritis Nephritis Nephritis Stricture of urchra Disase of placen Nephritis Cystitis Stricture of urchra Disase of plader, &e.  Cystitis Stricture of urchra Disease of lidneys, &e. Disease of lidneys, &e. Disease of lidneys, &e. Disease of urchra Rheumatism Disease of skin, &e.  Rheumatism Disease of skin, &e.  Ralformations Malformations Atrophy	Aecidents, suffocation, &c	To
	Summer in Se. Armiegs, Se. Discusses of the Stomach, So. Lung.	Aeci	
.7	Discuses of the Discuses		

TABLE II.—DEATHS FROM ZYMOTIC\* AND A FEW OTHER DISEASES, IN THE PARISH OF ST. PAUL, BEDFORD, FROM JULY 1, 1837, TO JUNE 30, 1853.

	CAUSES OF	DEATH.	1838	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	TOTALS
Zymotic Diseases.	Scarlatina Hooping-cough Croup Thrush Diarrhœa Dysentery Cholera Influenza			1 8	3 1 : : : : : : : : : : : : : : : : : :	1 10 ··· 2 ··· 7	2 1 4 2 8	1 1 2 3 5	1 2 1 2 4 3	8 1 4 1  6	1 2 1 13	8  20 2	20 5 1  7  2	1 1 6 ··· 1	3  8 1 30 4 1 9	1 1 4	i 10 	5	11 34 38 56 23 4 78 12 33 29 2 156
	Total Deaths from	Zymotic Disease	s . 24	$\frac{-}{25}$	49	30	17	21	<u>−</u> 25	<u></u> 23	17	 77	$\frac{-}{54}$	15	<b>5</b> 9	15	15	18	484
	Phthisis or Consur Hydrocephalus Convulsions Pneumonia Premature birth at Atrophy	ad debility	$\begin{bmatrix} \cdot \cdot & 3 \\ 5 \\ \cdot \cdot & 1 \end{bmatrix}$	3 1 1 3	5 1 4	6 1 1	10 2 3	8 2	$\frac{2}{16}$	1 8	1 6 6 5	11 7	$\begin{vmatrix} 2\\15\\23 \end{vmatrix}$	1 6 8	3 8 9 13	$\begin{vmatrix} 4\\2\\10 \end{vmatrix}$	1 4 5	1	415 23 120 96 87 37

<sup>\*</sup> The term Zymotic (from  $\langle \nu\mu\nu\omega\rangle$ , to ferment, zymosis, fermentation,) is applied to designate that class of diseases which are conceived to owe their origin to causes which act upon the system in a manner analogous to the action of yeast upon the gluten of flour; (not that there is any evidence that this is a real operation, but the idea may be admitted as a convenient means of classification); the class includes the diseases usually considered to be epidemic, endemic, or contagious.

TABLE III.—DEATHS FROM ZYMOTIC AND A FEW OTHER DISEASES, IN THE PARISH OF ST. PETER, BEDFORD, FROM JULY 1, 1837, TO JUNE 30, 1853.

	CAUSES OF DEATH.	1838	39	40	41	424	3 4	14 4 — ,-	Įħ	<del>1</del> 6	47.	48	49 	50 —	51 —	52 —	53 —	TOTALS
Zymotic Diseases.	Small-pox Measles Searlatina Hooping-cough Croup Thrush Diarrhœa Dysentery Influenza Fever, typhus Puerperal fever Rheumatic fever Erysipelas	1 1 5	1 3	6	1 1 2	1 3	5 1	1 3 2	2 4	i	5 1 4	3 1 1	2 1 2	 1	2	1 2 1	1 2 2	4 8 5 11 3 28 4 15 33 1 1
	Total Deaths from Zymotic Disease	s. 9	8	11	7	7 1	1	9	7	1	10	18	6	2	4	4	6	120
	Phthisis or Consumption Hydrocephalus Convulsions Pneumonia Premature birth and debility Atrophy	$egin{array}{c c} & & 1 \\ & & 2 \\ & & 2 \\ & & \end{array}$	3	3	2	111		1 2 2	1 2		3 4 2 1	4 2		1 4	11 1 4 1 2	9 1 3 3 2 3	4	151 4 35 25 25 25 21

TABLE IV.—DEATHS FROM ZYMOTIC AND A FEW OTHER DISEASES, IN THE PARISH OF ST. MARY, BEDFORD, FROM JULY 1, 1837, TO JUNE 30, 1853.

	CAUSES OF DEATH.	18	38	39	40	41	42	43	44	45	46	47 —	48	49	50 —	51 —	52 —	53 —	TOTALS
Zymotic Diseases.	Small-pox Measles Scarlatina Hooping-eough Croup Thrush Diarrhœa Dysentery Cholera Influenza Purpura Fever Erysipelas			1 1 1 1 1 1	1 4	1 1 1	1	1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3	3 1 9 2	1 2 1 4	9 2	5 1 15 1	1	3	1114	2 5 4 3 1 18 1 4 13 4 79 10
	Total Deaths from Zymotic D	iseases.		3	5	4	5	3	3	6	8	19	12	11	25	13	15	15	147
	Phthisis or Consumption Hydrocephalus Convulsions Pneumonia Premature birth and debility Atrophy		1 1 1	2	2	i		1	1	3	3	2 2 6	19  3 5 12			F	8	10	186 7 25 23 48 3

TABLE V.—DEATHS FROM ZYMOTIC AND A FEW OTHER DISEASES IN THE PARISH OF ST. CUTHBERT, BEDFORD, FROM JULY 1, 1837, TO JUNE, 30, 1853.

CAUSES OF DEATH. 18	38	39	40	41	42	43	44	45 —	46	47	48 —	49	50	51	52	53	TOTALS
Small-pox Measles Hooping-eough Croup Diarrhoa Influenza Fever Erysipelas Total Deaths from Zymotic Diseases.	2		··· 2 ··· 1 2 ···	1	2	1	2 1 1 1	4		6	1 1 1 1	1 2	2  1	i	1	1 2 1	
Phthisis or Consumption Hydrocephalus Convulsions Pneumonia Premature birth and debility Atrophy	2	2	1 1	2	2 1 2	1	1	1 1	1 2	1 1 1	 3 1	3	3	1	1 1 1	1 1	48 1 15 10 15 3

TABLE VI.—DEATH FROM ZYMOTIC AND A FEW OTHER DISEASES, IN THE PARISH OF ST. JOHN, BEDFORD, FROM JULY 1, 1837. TO JUNE, 30, 1853.

	CAUSES OF DEATH. 18	838	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	TOTALS
Zymotic Diseases.	Measles Searlatina Hooping-cough Croup Diarrhœa Influenza Purpura Fever Erysipelas				i 	1 	1	1	··· 1 ···	4	1 4		• •			1 1	1 	5 2 3 1 3 1 1 1 12 1
	Total Deaths from Zymotic Diseases.				4	2	1	3	1	4	8	1			2	2	1	29
	Phthisis or Consumption Hydroeephalus Convulsions Pneumonia Premature birth and debility Atrophy				1		1				 1 3	 1	3 1 2 1	· .	1 3	i	 1 1 	24 1 8 12 2 3

TABLE VII.—DEATHS IN SEPARATE YEARS IN EACH OF THE BEDFORD PARISHES, TOGETHER WITH THE TOTALS FOR THE SIXTEEN YEARS, INCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS.

PARISH.	1838	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	TOTALS
St. Paul St. Peter St. Mary St. Cuthbert St. John Totals	56	49	69	42	41	60	58	44	46	66	67	49	48	54	52	55	856
	60	57	49	63	28	46	53	78	79	92	110	84	106	74	88	72	1139
	16	9	16	16	17	9	18	12	21	23	19	14	13	12	16	17	248
	2	6	4	10	8	8	7	4	8	18	8	10	9	8	6	6	122

# TABLE VIII.—DEATHS PER THOUSAND IN EACH OF THE BEDFORD PARISHES FOR THE SIXTEEN YEARS, *INCLUSIVE* OF DEATHS IN THE PUBLIC INSTITUTIONS.

PARISH.	Deaths from July 1, 1837, to June 30, 1853	Average Number of Deaths & thousand.	Proportion of Deaths to the Living.
St. Paul St. Peter St. Mary St. Cuthhert St. John	856 1139 248	21.3 31.9 53.0 24.5 16.9	1 in 47 1 31 1 19 1 40 1 59
Totals	4481	27.1	1 in 37

# TABLE IX.—DEATHS IN SEPARATE YEARS IN EACH OF THE BEDFORD PARISHES, TOGETHER WITH THE TOTALS FOR THE SIXTEEN YEARS, EXCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS OF PERSONS NOT BELONGING TO BEDFORD.

PARISH.	1838	39	40	41	42	43	44	45	4 6	47	48	49	50	51	52	53	TOTALS
St. Paul St. Peter St. Mary St. Cuthbert St. John Totals	31	19	35	22	13	17	30	27	34	39	30	26	32	31	40	37	463
	14	18	20	18	16	16	20	31	22	28	39	16	21	17	28	22	346
	18	10	17	16	18	10	18	13	23	25	20	14	14	12	17	19	264
	3	7	5	10	9	8	8	5	8	19	8	12	10	9	6	7	134

## TABLE X.—DEATHS PER THOUSAND IN EACH OF THE BEDFORD PARISHES FOR THE SIXTEEN YEARS, EXCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS OF PERSONS NOT BELONGING TO BEDFORD.

PARISH.	Deaths from July 1, 1837, to June 30, 1853	Average Number of Deaths #7 thousand.	Proportion of Deaths to the Living.
St. Paul St. Peter St. Mary St. Cuthbert St. John	$egin{array}{c} 463 \\ 346 \\ 264 \\ \end{array}$	23.2 $20.0$ $20.0$ $25.9$ $18.4$	1 in 43 1 50 1 50 1 39 1 54
Totals	3492	22.3	1 in 45

# TABLE XI.—DEATHS PER THOUSAND IN EACH OF THE BEDFORD PARISHES FOR THE SEVEN YEARS FROM JULY 1, 1846, TO JUNE 30, 1853, EXCLUSIVE OF DEATHS IN THE PUBLIC INSTITUTIONS OF PERSONS NOT BELONGING TO BEDFORD.

PARISH.	Deaths from July 1, 1846, to June 30, 1853	Average Number of Deaths 4f° thousand.	Proportion of Deaths to the Living.
St. Paul St. Peter St. Mary St. Cuthbert St. John Totals	235 171 121 71	24.2 18.0 19.1 26.2 22.2	1 in 41 1 55 1 52 1 38 1 45

M M	- W2	
IN THE FOURTEEN RURAL PARISHES CONSTITUTING (WITH THE D CARDINGTON, AND THE BEDFORD AND KEMPSTON DISTRICTS, 1837, TO JUNE 30TH, 1853, (SIXTEEN YEARS).	TAI	244 464 277 277 277 277 277 277
H	입	
II	52-3	: : : = m : oo oo : oo oo
W)	2 18	
± Ā	51-5	:::81 :918 :0
NA	118	
UT	-029	L : : 00 2 : : 00 : 4 5
THE	0 18	
IST	349-5	:::2::1:2::0
ON P	$\frac{1}{1841-2} \frac{1842-3}{1842-3} \frac{1843-4}{1844-5} \frac{1844-5}{1845-6} \frac{1846-7}{1847-8} \frac{1848-9}{1848-9} \frac{1849-50}{1840-50} \frac{1850-1}{1851-2} \frac{1852-3}{1852-3} \frac{1}{1851-2} \frac{1}{1851-2} \frac{1}{1852-3} \frac{1}{1851-2} $	
N D RS)	848	:: 040-01-00
IN THE FOURTEEN RURAL PARISHES CON CARDINGTON, AND THE BEDFORD AND 1837, TO JUNE 30TH, 1853, (SIXTEEN YEARS)	8	
SH CA	847.	57: 37127: 57:
R. S.	-1-1	
PA SDJ	846	1 : 2 : 1 : 8 4 1 9 6
BH	-61	
RA (SI	1845	::=0:::::::::::::::::::::::::::::::::::
33, 33,		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1844	: : : : : : : : : : : : : : : : : : :
AD.	77	24: 54: 34: 1:
STE N, SOI	184	
E G G	2-3	
G P N	184	
E OIL	1-2	· '20'-00-00-0-0-1
REITO	184	
CA CA 77,	0-1	:œœनननन : :क्
H C C S C C C C C C C C C C C C C C C C	184	,
AN F,	1837-8 1838-9 1839-40	:H : S H : C H : 4 }
US]	188	
OR. LY	38-6	; a : u u u a a : a .
O FO	818	
N SEI	37-	:∞ ८ ≒ ८ ८ ८ ४ . : 4.
M ALL CAUSES HE BEDFORD AI FROM JULY 1817,	===	
N H H		
AR T	H	
ES H	AT	
出出	DE	
RIS	)F	
E C C	83	<b>d</b>
	USE	sno
II. RI	CAUSES OF DEATH.	pox ss ng c cca ccry a raa
FO.		Small-pox Measles Scarlatina Hooping cough Croup Thrush Diarrhoca Dysentery Cholera Influenza
TABLE XII.—DEATHS FROM ALL CAUSES IN THE FOURTEEN RURAL PARISHES CONSTITUTING (WITH DEDFORD PARISHES) THE BEDFORD AND CARDINGTON, AND THE BEDFORD AND KEMPSTON DISTRICTS. FROM JULY 18T, 1837, TO JUNE 30TH, 1853, (SIXTEEN YEARS).		LEP DITTE
E B B		Zymotic Diseases.
TA	1	

Ε	TAL	244 46 46 46 46 46 46 46 46 46 46 46 46 4
CL	3 TO	
WII STRI	1852-	:::⊣⇔:∞⊲:७०
NG ( N DE	1851-2	:::מ-::٥-0::
PSTO	1850-1	H : : 00 01 : : 10 : 14 0
KEMI	1849-50	:::0::1:0::00
ND IRS).	6-8‡81	:: 040101100
SHE RD A YEA	1847-8	
PARI SDFO SEEN	846-7	1 : 2 : 1 : 84 1 1 9
SAL IE BE (SIXT	845-61	::-0::0::0:
RU D TH 1853,	844-51	:1 :11 4 8 1 :0
reen r, an oth, 1	843-4	:= :
OUR STON NE S	842-3	::::=::::::::::::::::::::::::::::::::::
TE F DIN( O JU	841-21	: :vo :: :: :: :: :: :: :: :: : : : : :
SES IN THE FOURTEEN RURAL PARISHES CONSTITUTING (WITH I AND CARDINGTON, AND THE BEDFORD AND KEMPSTON DISTRICTS, sr, 1837, TO JUNE 30th, 1853, (SIXTEEN YEARS).	840-1	: o o u u u u u u u u u u u u u u u u u
AND ST, 18	839-40	:⊔ :∞⊔ :ơぃ :ᢋ
HE BEDFORD FROM JULY 1	1837-8 1838-9 1839-40 1840-1 1841-2 1842-3 1843-4 1844-5 1845-6 1846-7 1847-8 1848-9 1849-50 1850-1 1851-2 1852-3 TOTAL	:0 :11100 :0
ALL BEDI	837-8	:∞01004 · :4
3LE XII.—DEATHS FROM ALL CAUSES IN THE FOURTEEN RURAL PARISHES CONSTITUTING (WITH TH BEDFORD PARISHES) THE BEDFORD AND CARDINGTON, AND THE BEDFORD AND KEMPSTON DISTRICTS, FROM JULY 181, 1837, TO JUNE 30TH, 1853, (SIXTEEN YEARS).	CAUSES OF DEATH.	Small-pox Measles Searlatina Hooping cough Croup Thrush Diarrhoa Dysentery Cholera Influenza
$\sim$ $\sim$	1	I common or accounted

31 47 36 10 10 187

თთი : :დ4

: 다음 :

10: ::

:=

12

Pericarditis .....

Disease of brain, &e.....

Convulsions

eases of the Discases of the teart, Lo.

Phlebitis Disease of heart. &n

: : : 45

: --

12 3 556 9

29

1 1 25 1

182 :

30

: : : : : : :

:53:

41

35

. 5

. · · · · · · ·

Scrofula Tabes Mesenterica..... Phthisis or Consumption

Ilydrocephalus .....

Cephalitis .....

Apoplexy Paralysis

Delirium tremens ......

67 257 1 12

: ణ

Fever Rhcumatic fever Erysipelas Influenza ......

Hæmorrhage .....

Dropsy

Mortification .....

Cancer .....

Tuberculur Diseases of variable Diseases.

Abscess .....

Fistula.....

20 116 8 8 1 1 21 21 21

: 25: : 42

10 12 13 13

123 11 30	1011130	1 1001104	, pult	c/ c/ c/ c/	102 49 341 1	707	313	2920
14.	øu::ø::.uu:u:	: :-::	· :::	:::==	19	1 : :	:9	147
; 40 : :	:::::::	: ::::%	::::	::=:	18 :	: : ·	:-	136
9::	:::==::=::	: :-::::	::::	::::	288 :	: :-	17 1	169
.∞ .⊢	::::⋪:::::⋈⊢::	::::::	:::=	::::	26	: : :	:∞	179
13 2 2	:::::::::::::::::::::::::::::::::::::::	::87 ::	::::	: : : : : : : : : : : : : : : : : : : :	27	: : :	1.5	182
30	:::;-∞:::-::	::::::	.: 15	:::=∝	18 :	: : :	17	266
25 1 2	: :	::::::	::-:	::-:∞	24	: - :	36	303
4 : -	:::::::::::::::::::::::::::::::::::::::	ц:::ся:	::::	::::ю	14::	<b>-</b> :	28	167
∞ :	::::4::-::000:::	:::::	::::	11: 11	29	: :•	22	213
o : 6	:::::::::::::::::::::::::::::::::::::::	:::::	::::	::::6	21 :: 1	::	16	185
27 1-1	::::::::::::::::::::::::::::::::::::::	::::::	::::	::::4	16	٠:	24	164
:-:	:::::::::::::::::::::::::::::::::::::::	::::::	<b>-:::</b>	::-:-	2 <u>5</u>	::	27	155
~ <del></del>	:::::::::::::::::::::::::::::::::::::::	:::::	ल : : :	:::::	15	::	23	144
4 :∞	:::-:::::::::::::::::::::::::::::::::::	::::::	:::न	:1 ::9	27.	:::	29	186
: a	:::::::::::::::::::::::::::::::::::::::	::::::	:::न	: : : : : : : : : : : : : : : : : : : :	16	:::	30	130
· · · · ·		:::::	::::	::::9	18 ::	: : '*	17	167
Asthma Disease of lungs, &c.	Cynanche maligna Quinsey Quinsey Gastritis Enterritis Peritonitis Hernia Illeus Intussusception Disease of stomach, &e. Hepatitis Jaundice Disease of sloer Disease of spleen	Nephritis Nephria Nephria Ischuria Stricture of urethra Disease of kidneys, &c.	Child-birth, &c. Amenorrhæa Disease of mammæ Disease of uterus, &c.	Rheumatism Disease of joints Disease of skin, &e. Mulformations Premature birth and debility	Age Privation of food Burns and sealds	Fractures Accidents, &c	Causes not specified, Inquests included	Totals
$n_T$	Dissenses of the Stomuch, &c.	<u></u>			Age Prive Burn	Fract Accid	Caus	
Disect	, u	Diseases of the	ીમરોતીઠોજુર <b>ા</b> ક, કુત					

TABLE XIII.—DEATHS IN SEPARATE YEARS IN EACH OF THE FOURTEEN RURAL PARISHES, TOGETHER WITH THE TOTALS FOR THE SIXTEEN YEARS.

PARISH. 1	838 39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	TOTALS
Biddenham Bromham Cardington Clapham Cople Easteotts Elstow Goldington Kempston Oakley	9 11 2 4 20 7 6 14 12 14 7 2 39 19 17 11	3 21 9 10 10 16 11 42 5	8 10 9 9 27 6	10 19 7 10 25 10	16 8 16 14 16 4 31 9	12 10 17 9 10 8 42 6	11 9 15 12 10 12 54	12 9 8 9 7 13 43 8	10 11 23 18 22 28 8 50 15	25	11 8 10 11 10 9 46 13	9 19 10	3 8 9 16 7 13 40	11 8 35 6	36 7	228 180 160 585 168
Renhold Willington Wilshamstead Wootton	6) 3	12	$\frac{2}{7}$	1 3	3 5	6 5 17 28	23	14	1 55	10 20	7 19	6 21	4	2 14	17	76
Totals	167 130	186	144	155	164	185	213	167	303	266	182	179	169	136	i74	2920

TABLE XIV.—DEATHS PER THOUSAND IN EACH OF THE FOURTEEN RURAL PARISHES FOR THE SIXTEEN YEARS.

PARISH.	Deaths from July 1, 1837, to June 30, 1853	Average Number of Deaths & thousand.	Proportion of Deaths to the Living.
Biddenham Bromham Cardington Clapham Cople Eastcotts Elstow Goldington Kempston Oakley Renhold Willington	92 177 146 205 228 180 160 585 168 138	18.3 18.3 19.5 22.7 23.3 16.8 20.2 19.0 21.3 22.8 18.9 18.5	1 in 55 1 55 1 51 1 44 1 43 1 59 1 50 1 52 1 47 1 44 1 53 1 53 1 54
Wilshamstead Wootton		19.5 23.2	1 51 1 43
Totals	2920	20.5	1 in 49

TABLE XV.—AGE AT DEATH OF PERSONS WILD DIED IN THE FIVE BEDFORD PARISHES DURING SIXTEEN YEARS.

TOTALS	2.56 2223	4479*
100	::	:
95	co	4
06	16	36
85	54	116
80	7.8	160
75	100	215
02	116 129	245
99	104	203
09	82 100	182
55	80	143
90	85 90	175
45	81	159
40	105	211
35	99	191
30	95	187
25	74 92	166
20	100	223
15	58 95	153
10	95	165
2	65	122
4	37	72
က	44	92
62	90	386 191
6 1 mos. year	202 184	386
6 mos.	398 284	682
SEX.	Malcs	Totals

TABLE XVI. - AGE AT DEATH OF PERSONS WHO DIED IN THE FOURTEEN RURAL PARISHES OF THE BEDFORD AND CARDINGTON, AND BEDFORD AND KEMPSTON SUB-DISTRICTS, DURING SIXTEEN YEARS.

	_		
	TOTALS	1361 1557	2918*
	100	:-	-
	95	ო :	က
ı	06	14	25
	85	59	66
	80	120	148
	22	80 74	154
	70	78	131
ĺ	65	43	107
	09	40	103
	55	39	81
	90	32 45	77
	45	27	69
	40	32	72
	35	23	76
1	30	36	98
1	25	, 42	111
1	20	52 86	138
۱	15	32	137
1	10	48	124
	٠	44	101
	4	19	48
-	က	22.5	63
	23	09 6-4	124
1	l year	149	269
	mos. year	334 235	569
	SEX.	MalesFemales	Totals

\* The Age was not registered in two deaths.

	TABLE XVII.—DEATHS FROM BARFORD, HARROLD, RISI	-DEATHS FROM ALL CARAGED, RISELY, SH	OM A	ALL CELY, SI	AR	NS S	TE V	_ ≥ o`	NTY-F URVE	VE	RURAL B-DISTE	, P	ARISHES (	CO M J1	NSTIT ULY 1	UT.	ING TH 1837,	HE
1				To	01	NE 301	<b>-</b>		SIXTEEN		YEARS).							
	CAUSES OF DEATH		1837-3	1838-9 183	07-6	1840-1 1841-	ତା ।	1842–3154	1543-4 1844-5	-5 1845	1845-6 1846-7	1847-81	848-9	1849-50 1850-1	850-1	851-21	1852-3 1	TOTALS
seases of the Inderendar Diseases of earling seat. Zymotic Diseases.	Small-pox Measles Scarlatina Hooping cough Croup Thrush Diarrhea Dysentery Cholera Influenza Purpura Agne Theopural fever Fever Pever Infantile fever Rheumatic fever Rheumatic fever Rheumatic fever Rheumatic fever Pever Theopural fever Fever Pever Pever Theopural fever Fever Pever Rheumatic fever Fever Pever Pever Rheumatic fever Respelas Dropsy Absress Ulcer Frishla Mortification Cancer Gout Serofula Tabes Mesenteri Phthisis or Cons Ilydrocephalus Cephalitis Apoplexy Paralysis Delivium tremer Epil psy Tetunus Insanity Convulsions Disease of brain Pericarditis Phiebitis Phiebitis	ea. umption	4	8 : 2 : 2 : 2 : 2 : 4 : : : : : : : : : :	: : : : : : : : : : : : : : : : : : :	: :&& :&& :	[ :00] 2	: :1 :2 :84-12 : :185 : :2101 : :22 :1 :\$4 : 8 : :45 :	[4 :4] [4 :1] : : : : : : : : : : : : : : : : : :		::,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	20	: c c c c c c c c c c c c c c c c c c c	::: <sub>0</sub> 1 ::::101 ::4 ::1 ::11 ::24 ::11 ::24 ::0	: 2 : 2 2 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	::	1 : " : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	27 110 104 33 33 10 10 95 95 11 11 13 20 20 20 20 20 20 3 3 43 11 11 11 11 11 12 13 13 13 13 14 13 14 11 11 11 11 11 11 11 11 11 11 11 11
1	Thomas .			1	-	-				5	100		a - 0.	ļ	: 6	1:21	 	200

	22 22 22 22 22 22 23 33 44 11 11 11 11 11 11 11 11 11 11 11 11	4560
1	20 : : : : : : : : : : : : : : : : : : :	1 28.1
2	801 : : : : : : : : : : : : : : : : : : :	219
2 22	69.2 : : : : : : : : : : : : : : : : : : :	241
22.0		261
2 21	mc-u :uwu : : : : :uu : : : : :uu : : : : :	265
9		343
		385
-		215
r 3	***	294
S)	2 : : - ε : π : : : : : : : : : : : : : : : : :	318
v	244 : : : : : : : : : : : : : : : : : :	282
1		301
		28.1
2	[c.1 : 12c.2; 2.1 : 1.1 : 2.1 : 1.1 : 1.1 : 2.1 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 4 : 2.2 : 2.1 : 1.1 : 2.1 : 1.1 : 2.1 : 2.1 : 1.1 : 2.1 : 2.1 : 1.1 : 2.1	289
-	13.3; 1.2; 1.1; 1.1; 1.1; 1.1; 1.1; 1.1; 1.1	248   5
1		01 2
	aded .	-
une of hourts better	Techling Cynanche maligua Cynanche maligua Cynanche maligua Cynanche maligua Cauinsey Gastritis Enteritis Feritomitis Ascites Hernia Ileus Intussusception Stricture of intestinal canal Disease of stomach, &c. Hepatitis Jaundice Disease of liver Nephrita Nephrita Nephrita Stone Cystitis Cystitis Disease of liver Nephrita Stone Cystitis Disease of liver Nephrita Stone Cystitis Disease of liver Nephrita Disease of liver Stricture of urether Child-birth Disease of uterus, &c. Carbunele Phickmon Disease of joints Malformations Disease of joints Malformations Fremature birth and debility Atcophy Atcophy Atcophy Burns and scalds Hanging and suffocation Fractures Accidents, &c. Causes not specified, Inquests included	Totals
	Discuses of Discuses of the Stomach, &c.  Discuses of Discuses of the Stomach, &c.  Discuses of the Stomach, &c.  Discuses of the Stomach, &c.  Discuse of the St	

TABLE XVIII.—DEATHS IN SEPARATE YEARS IN EACH OF THE TWENTY-FIVE RURAL PARISHES, CONSTITUTING THE GREAT BARFORD. HARROLD, RISELY, SHARNBROOK, AND TURVEY SUB-DISTRICTS, TOGETHER WITH THE RESPECTIVE TOTALS FOR THE SIXTEEN YEARS.

PARISH. 1	838	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	TOTALS
Great Barford	20	16	13	11	16	16	18	16	9	43	13	14	14	13	7	10	249
Bletsoe		5	10	14	11	12	12	4		10				11	7	6	
Bolnhurst		5	4	6	8.	7	4	4 7 8	6	7	8	$\hat{z}$	11		5	4	99
Carlton		13	10	11	8	7	9	8	9	11	9	7	11	7 6	7	16	
Chellington	0	1 9	3	2	2	4	4	3	1	1	2	4		4	4	5	42
Colmworth	9	9	10	14		14	12	7	12	19		4	14	8	10	8	
Felmersham	7	10	16	9	10	8	11	7	9	14	8	12		10	4	11	
Harrold	24	26	31	20	24	27	31	25	23	14				18	32	39	396
Keysoc	10	12	15	27	19	8	18	20	12	25	26	11	18	19	20	13	273
Knotting	6 3	2	2	3	3	2	2	3	2	2	0	8	2	0	2	2	
Melchbourne	3	4	6	4	4	6	4	8	2	4	5	3	2	2 5	2 4	7	68
Milton Ernest	7 9	4	12	5	9	5	16	14		9	4	7	10	5	11	6	128
Odell	9	8	7	10	7	11	13	11		15	8	4	7	8	7	16	148
Pavenham	17	5	12	11	24	15	13	4	6	22	25	16	7	14	16	10	217
Ravensden	9	7	6	6	4	12	12	6	3	14	13	4	2	4	5	5	112
Risely		14	25	17	16	17	19	19	18	36	43	30	27	21	14	13	345
Roxton	21	15	12	7	15	13	14	31	11	6	18	4	13		11	13	210
Sharnbrook	18	10	11	24	19	17	14	17	9	31	15	13	18	10	11	16	253
Souldrop	7	2	3	5	7	5	5	6	0	5	18	3	7	3	5	2	83
Stagsden	24	13	20	14		16	17	14		18	13	18			14	18	253
Steventon	11	10	9	11	17	9	14	13		23	16	5	6	7	9	14	177
Thurleigh	14	15	13	14	11	13	15	8	10		15				6	11	195
Turvey	19			26		21	21	28				21	19		19	16	367
Wilden	10	6	7	6	10	8	8	- 8	8	6	10	15			11	12	
Yielden	6	6	4	7	7	9	12	7	8	10	7	8	9	3	8	11	122
Totals	301	248	289	284	301	282	318	294	215	385	343	265	261	241	249	284	4560

TABLE XIX.—DEATHS PER THOUSAND IN EACH OF THE TWENTY-FIVE RURAL PARISHES FOR THE SIXTEEN YEARS.

PARISH.	Deaths per thousand.	Proportion of Deaths to the Living.
Great Barford	19.3	1 in 52
Bletsoe	21.6	146
Bolnhurst	18.6	$1 \dots 54$
Carlton	22.9	$1 \dots 44$
Chellington	19.8	1 50
Colmworth	22.1	$1 \dots 45$
Felmersham	19.4	$1 \dots 51$
Harrold	24.0	$1 \dots 42$
Keysoe	22.4	$1 \dots 45$
Knotting	15.4	$1 \dots 65$
Melehbourne	16.0	163
Milton Ernest	18,9	153
Odell	18.3	$1 \dots 55$
Pavenham	23.7	142
Ravensden	21.3	$1 \dots 47$
Risely	22.9	144
Roxton	22.8	$1 \dots 44$
Sharnbrook	18.3	155
Souldrop	16.8	159
Stagsden	23.9	$1 \dots 42$
Steventon	19.3	$1 \dots 52$
Thurleigh	20.1	150
Turvey	23.6	$1 \dots 42$
Wilden	20.5	$1 \dots 49$
Yielden ·	24.0	1 42
Average	21.2	1 in 47

# TABLE XX.—MONTHLY MEANS OF METEOROLOGICAL OBSERVATIONS AT THE OBSERVATORY OF SAMUEL CHARLES WHITBREAD ESQ., AT CARDINGTON, FROM DECEMBER, 1845, TO JULY, 1853.

1846	ВА	ROMETE	R.	THEF	RMOM:	ETER	ature of	Degree of Humidity.	Wind	Days on rain fell.	Rain in
MONTH.	Max.	Min.	Mean	Max.	Min.	Mean	Temperature the Dew Poin	Degr	Willa	No. of which	Inches
Tannows	30 500	29.000	29 720	56.0	27.0	42.0			s	17	3.92
January	30.300	29 500	29 893	59.0	26.0	42.0	}		w	12	1.00
March	30,600	29.100	29.716	57.0	26.0	43.0			wsw	14	1.80
April		29.000	29.631	63.0	31.0	47.0	1		VAR.	18	3.67
May		29.000	29.860	71.0	37.0	57.3			w	9	1.04
June	00 000	29.400							S	8	1.34
July	. 30.200	29.400	29,900	88.0	51.0	65.6			w	14	2.08
August		29.500	29,900	89.0	50.0	65.3	ļ.		VAR.	17	3.20
September		29.400							NE	7	0.98
October			29.565						sw	27	5.13
November									sw	14	0.80
Dccember		28.700	29.758	48.0	17.0	0 31.1			NW	6	1.11

#### 1847.

January	30.300	28.900	29.787 4	6.0 25.0	34.5	sv		1.17
February	30.200	29.300	29.514 5	[2.0] 18.0	35.7	w	7	0.73
March	30,400	29.500	29.860 5	8.0  20.0	40.0	VAI	a. 8	0.79
April	30.000	29.200	29.640 6	30.0 28.0	41.6	VAI	R. 14	1.10
May	30.300	29.300	29.783 7	8.0 33.0	54.3	sv	v 16	3.40
June	30.400	29.500	29.888 7	5.0 43.8	56.6	sv	v 13	2.89
July	30.600	29.780	30.039 8	33.0 50.0	63.9	N	4	1.18
August	30.340	29.500	29.990 7	78.0   42.0	62.8	N	15	1.64
September	30.330	29.350	29.924 6	37.0 34.0	52.0	w	12	1.67
October	30.320	29.410	29.904 6	66.0 31.0	49.9	sv		2.56
November	30.340	29.180	29.940 6	30.0 25.0	43.5	sv	13	1.49
December	30.270	28.580	29.762 5	6.0 26.0	39.6	VAI	a. 13	2.21

#### 1848.

							_				
January	30.360	29.200	29.850	51.0	18.0	33.0	31.4	0.900,	VAR.	8	0.75
February										15	2.56
March	30.140	28.630	29.490	60.0	28.0	42.0	40.8	0.863	VAR.	23	3 15
April										21	3.25
May	30.290	29.340	29.960	81.0	33.0	57.5	52.6	0.609	s	3	0.03
June										24	4.16
July										16	1.89
August										25	3.70
September	30.370	29,330	29.880	79.0	31.0	54.6	53.2	0.825	W	10	4.30
October	30.110	29,200	29.680	70.0	33.0	50.0	49.0	0.885	sw	19	4.40
November	30.380	29.130	29.800	56.1	24.0	41.0	40.2	0.886	w	16	1.06
December	30,320	28.940	29.826	57.0	21.5	41.8	40.1	0.914	sw	16	1.80

#### 1849.

January	30.296 28.87	0 29,801 54.	0: 16.8  38.5	36.7   0.904	ssw	17	1.830
February	30.764 29.30	0 30.148 56.	2 24.0 41.8	39.8 0.879	SW		0.751
March	30.584 29.22	5 29.981 57.	0 24.6 42.7	38.8 0.797	w		1,625
April	30.272 29.12	8 29,588 64.	0 28.6 44.2	40.3 0 777	VAD	24	2.630
May	30.206 29.21	6 29.830 75.	0   32.5   54.3	49.8 0.752	VAR.	19	2.500
June	30.242 29.65	0 29,922, 77.	0 36.0 57.8	51.9 0.685	N	9	0.250
July	30.376 29.37	4 29,833 83,	4 37.3 60.6	55.0 - 0.682	w		3.063
August	30.320 29.52	6 29.883 80.	0 39.0 60.8	55.8  0.711	M.		2.068
September	20.400 28.90	9 90 707 69	8 38.0 57.1	$\frac{53.4}{47.0} = 0.783$	VAR.		3.040
November	30.040 20.04	6 90 700 57	5 29.5 48.7	47.6 0.844	VAR.	17	2.472
December	30.500 25.00	4 29 869 54	20.0 41.6	36 8 0.000	W		0.892
	00.004 20.20	41 20.0021 04.	2, 20.0, 31.0	30.8   0.902	VAR.	19	2.575

#### TABLE XX (CONTINUED).

#### 1850.

MONTH.	ВА	ROMETI	ER.	THEF	RMOMI	ETER.	rture of Point.	e of lity.		Days on rain fell.	Rain
MONTH.	Max.	Min.	Mean	Max.	Min	Mean	Temperature the Dew Poin	Degree Humidit	Wind	No. of D which ra	in Inches
January	30.458	29.332	29.910	50.0	20.0	32.1	30.8	0.958	w	8	0.915
February	30.348							0.853	sw	10	1.380
March	30.550	29,454	30.085						N	$\frac{10}{2}$	0.120
April	30.338	28.896	29.646	65.0	31.2	37.9	43.0	0.836	VAR.	16	1.900
May	30.206		29.760					0.786	NE	15	2.000
June	30.392		29.928					0.722	VAR.	8	1.000
July	30.220		29.857					0.825	w	17	4.500
August	30.280	29.546	29.831	78.0	35.5	59.4	53.2	0.797	w	11	0.720
September			29.998	72.8	35.0	54.5	49.5	0.813	NE	10	1.430
October						46.3	42.8	0.866	11.	16	1.320
November	30.300			61.8	23.0	45.2	42.3	0.897	sw	15	1.740
December	30.550	28.980	29.961	54.5	23.8	39.4	37.8	0.926	sw	14	1.560

#### 1851.

January	30,290	29.078	29,681	56.2	28.0	42.0	36.5	0.8281	SW	14	2 200
February	30.390	29.412	29.934	55.4	22.5	39.7	36.9	0.893	VAR.	9	0.500
March	30.344	28.700	29.635	56.5	29.0	41.6	37.6	0.858	NW	20	2.810
April	30.108	29.350	29.766	65.4	27.2	44.6	40.6	0.845	N	17	1.727
May	30.514	29.600	29.925	71.2	31.0	51.2	42.2	0.706	N		1.053
June											1.000
July	30.112	29.400	29.756	82.8	38.0	59.3	53.6	0.802	11.		2.750
August	30.366	29.680	29.946	83.0	38.0	61.2	54.4	0.7751	W		1.410
September	30.614	29.341	30.086	75.0	32.5	55.3	51.4	0.843	NE		0.430
October	20.424	29.026	29.767	57.8	32.0	52.0	48.2	0.856			2.400
November	30.410	29.304	29.834	56.0	21.0	36.6	33.7	0.901	NW		1.250
December	00.042	29.024	30.191	00.0	24.8	40.4	37.2	0.868	sw	9	0.670

#### 1852.

January	30.320	28.976	29.612	55.5	25.5	39.8	36.7	0.892	sw	16	3.280
February	30.664	29.076	29.912	56.5	22.0	40.0	35.7	0.846	N	12	0.920
March	30.800	29.174	30,079	67.5	19.5	40.3	34.2	0.784	NE	3	0.560
April										4	0.400
May	30.236	29.544	29.831	76.0	30.5	50.9	42.8	0.750	N	7	2.500
June											3.500
July	30,180	29.670	29.901	91.0	48.5	69.5	59.5	0.738	VAR.	7	2.710
August										_	4.870
September	30.660	29.120	29.810	74.0	34.4	55.3	52.6	0.890	VAR.	11	2.190
October											2.515
November	30.184	28.842	29.489	63.6	28.0	46.8	44.9	0.933	S	22	5.135
December	30,230	28.920	29.590	56.8	28.8	45.6	43.1	0.904	sw	18	2.100

#### 85 .

January	30.210	29.184	29.597)	53.5] 2	29.8	41.3	39.0	0.914	sw	20	1.905
February	30.184	28.906	29.584	12.0  1	19.0	32.3	29.9	0.914	N	16	1.325
March	30.186	29.386	29.839	56.8 2	23.0	37.2	33.9	0.878	NE	14	0.815
April	30.280	29,232	29.748	64.0 2	29.8	45.7	40.8	0.834	NW	16	2.340
May	30,192	29.422	29.824	77.2   3	33.2	51.9	41.8	0.680	NE	10	1.180
June	[30.176]	29.560	29.768 8	31.5  3	36.4	58.1	52.9	0.833	W	13	2.820

The readings of the Barometer have been corrected and reduced to 32° Fahrenheit.

The mean Temperatures were found from the maximum and minimum Thermometers, and have been corrected for diurnal range.

The Temperature of the Dew Point, and the Degree of Humidity were deduced from the corrected Means of the readings of the Dry and Wet-bulb Thermometers, by Glaisher's Hygrometrical Tables.

## TABLE XXI.—MONTHLY MEANS OF METEOROLOGICAL OBSERVATIONS AT BEDFORD, FROM SEPTEMBER, 1850, TO JULY, 1853.

#### 1850.

MONTH.	BA Max.	ROMETE	R. Mean	THER		Mcan	Temperature of the Dew Point.	Degree of Humidity.	Wind	No. of Days on which rain fell.	Rain in Inches
2T 1	30.300 30.280 30.500	28 680	29.774	+60.5	-23.0	45.7	43.0	0.848 0.854 0.867	wsw	18 17 8	1.32 1.85 1.43

#### 1851.

		501	20 054	55 O	07.51	49 G	29 G	0.8501	SSW	15	2.26
January	30.280 2	29.150	29.674	55.0	27.5	42.0	05.0	0.000	37470		0.46
77 7	20 260 5	7G 4 1111	74 4371	* 2 * 3 . 1 3	66. 28 1	4 U. II	00.4	0.001			2.84
36 1	20 210 .	/× GAIII	29 na /-	111.11	63.4	41.7	01.0	0.020	******	1	1.47
4 '7	20 000 5	20. 27NL	99 753I	07.4	27.01	44.0	00.1	0.002	747470	10	
Nr	20 470 9	วด สรกเ	29 9 HH	70.0	31.8	$\partial 1.Z$	41.0	0.700	74	11	1.15
T	20 260 1	29 K3NI	29 905	90.0	39.UL	130.3	01.0	0.730	11 0 11	8	1.20
July	30.100	50 100	29 754	86.5	39.0	58.6	52.3	0.783	wsw	16	3.28
August	20.130	20.100	20.027	83.0	40 2	60.9	54.7	0.793	w	9	1.32
August	00.550 4	29.000	20.021	75.5	34.0	55.7	50.6	0.810	NE	8	0.59
September	30.360	29.300	90.000	69.5	20 8	59.0	16.8	0.804	sw	16	2.28
Oetober	30.490	29.070	29.761	50.0	02.0	07.0	10.0	0.001	3737337	8	0.99
November	30.390	29.320	29.833	50.0	23.0	37.2	32.0	0.320	NNW	9	0.65
December	30.470	29.110	30.157	54.6	$25.0^{\circ}$	40.8	36.8	0.814	SW	3	0.00

#### 1852.

January	30.250	28,920	29.612	55.0	25.6	40.2	36.5	0.847	sw	21	3.45
Fohmany	$-30.630  \mathrm{G}$	29.0701	29.885	56.0	23.0	40.4	30.2	0.010	N	T.X	1.15
March	30.710	29.1801	30.055	68.5	20.01	40.9	34.0	0.707	NE	5	0.51
Anvil	-30.30013	29.4901	30,003	73.5	23.5	45.71	39.7	0.760	NE		0.34
May	-30.20013	29.5301	29.826	74.0	30.51	50.71	43.4	0.766	N		2.27
June	30.040	29.2201	29.576	71.5	39.0	55 Z	-51.3	0.870	SW	25	3.34
July	30.160	29.680	29.744	91.5	49.0	66.9	59.6	0.740	NE		
Angust	$.30.370 \Box$	29.130	29.754	78.5	47.0	60.3	55,2	0.825	SW	22	5.98
September	[30.480]	29.150	29,800	75.0	35.0	55.8	53.1	[0.877]	VAR.	16	2.70
October	30.410	28.870	29.718	57.5	30.0	46.4	43.0	0.841	VAR.	17	2.40
November	30.140	28.840	29.476	61.5	29.0	46.7	44.0	0.879	SSW	23	5.44
December	30.210	28.940	29.577	55.0	29.0	46.3	43.8	0.865	sw	17	2.16

#### 1853.

January	30,130	29,150	29.580)	51.3 3	1.0	11.31	38.6	0.866	sw	17	1.85
February	30.170	28.920	29.577	40.0 1	7.0 3	32.4	29.4	0.863	N	17	1.30
March	30.160	29.390]	29.820	55.0 2	2.0  3	37.1	32.9	0.819	VAR.	14	0.85
April	30.240	29.270	29.740	67.0 3	1.5  -	45.3	38.8	0.770	N.M.	13	2.47
May	30,160	29.400	29.811	80.0 3	3.0	52.5	41.8	0.652	NE	12	1.42
June	30.160	29.540	29.751	80.0 4	0.0	57.4	52.7	0.8481	sw	14	3.15

TABLE XXII.—MEAN ANNUAL TEMPERATURE, AND ANNUAL QUANTITY OF RAIN IN INCHES, AT CARDINGTON, FROM 1845, TO JUNE 30, 1853; AND AT BEDFORD, FROM 1850, TO JUNE 30, 1853.

	1846		1847		1848		1849		1850		1851		1852		1853	
NAME OF PLACE.	Mean Temp	Rain in inches	Mean Temp	Rain in inches	M can Temp	Rain in inches	Mean Temp	Rain in inches	Mean Temp	Rain in inches	M can Temp	Rain in inches	Mean Temp	Rain in inches	Rain in In. from Jan 1 to June 30	
Cardington Bedford	50.9	25.070 ··	47.9	20.830	48.9	31.050	48.8	23.696	47.1					30.680 32.630		

## TABLE XXIII.—SUMMARY OF THE PRINCIPAL RESULTS FROM THE FOREGOING TABLES.

			-	. 0 = 0 = 0	UING	TABLE	10.					
			INSIX-		UAL	ANNU	6 1	w ;				
				TEEN YEARS.		MORTA	ALITY.	PER	Deaths from Zymotic Diseases in 16 years.	Per-Centage of Deaths from Zymotic Diseases.		
				Inclusive of Deaths in the public institutions.  Exclusive of Deaths in the public institutions.		hs us.		n- st.	yea	De		
						Inclusive of Deaths in the public institutions.  Exclusive of Deaths in the public institutions.		During 16 years inclusive of Deaths in the public instit.  During 16 years exclusive or Deaths in the public instit.  During 7 years exclusive of Deaths in the public instit.			Z <sub>3</sub>	of D
PARISHES. POPULA		ULATION,						rea De ic i	a a	zc tic		
				sti sti	th stn	th th	eo th isti	6 y of	6 y or	7 y of	es i	mo
				in in	visi in	sive in	ni in	g l ve	g l re re	g ke	ths	Zy
				slus blic	chu blic	sula	clu blic	rin usi the	ent	7 8		
	1831	1841	1851	Ind	Pul Pul	Inc	Ex fud	Du ch in	Clu	C C	194	Pe
St. Cuthbert	733	591	663			15.5	16.5	24.5	25.9	26.2	54	22.4
St. John	486	446	453			7.6	8.4	16.9	18.4	22.2	29	23.9
St. Mary	879	1042	1670			71.2	21.6	53.0	20.0	19.1		20.2
St. John St. Mary St. Paul	3956	5895	6709			132.3	142.8	21.3	23.2	24.2	484	22.7
St. Peter	905	1204	2198	856	463	53.5	29.0	31.9	20.0	18.0	120	20.0
Totals for Bedford	6959	9178	11693	4481	3492	280.1	218.4	27.1	22.3	22.6	834	23.0
				1					1	1		
									19.3			
Great Barford	731	814	865		49		6.3			15.7		
Biddenham	369	345	373		03	6.6			14	13.6		
Bletsoe	410	420	407		40	9.0			21.6			20.7
Bolnhurst	300	344	378		99	6.8			18.6			19.2
Bromham	324	314	343		92	6.0			18.3		12	13.0
Cardington	594	607	574		77	11.6			19.5			14.1
Carlton	424	444	432			10.1			22.9		17	10.6
Chellington	119	125	138			2.6		19.8			7	16.7
Clapham	298	370	445			9.3		22.7				32.2
Colmworth	468	572	543			12.4		22.1				20.0
Cople	643	551	552			13.0		23.3				24.4
Easteotts	710	859	881	228		14.7		16.8			51	22.4
Elstow	561	562	581	180		11.6		20.2			36	20.0
Felmersham	448	531	520			12.5		19.4			44	28.4
Goldington		509	606			10.7		19.0			26	16.3
Harrold	995	1007	1083			25.3		24.0			64	16.2
Kempston	1571	1697	1962			39.2		21.3			110	18.8
Keysoe	718	756	834			17.9		22.4				17.2
Knotting		175	187			2.8		15.4				29.3
Melehbourne	227	274	280			4.4		16.0				16.2
Milton Ernest	372	446	445			8.4		18.9			29	22.7
Oakley	516	492	457			10.9		22.8			41	24.4
Odell	475	488	538		48	9.4		18.3				18.9
Pavenham	543	600	556		17	13.8		23.7			07	26.3
Ravensden	258	326			12	7.4		21.3			30	31.3
Renhold	453	468	484			9.0		18.9			30	25.4
Risely	871					22.1		22.9				13.3
Roxton	575				10	14.0		22.8				19.5
Sharnbrook	754		888			16.0		18.3			94	17.4
Souldrop	242	ž .			83	5.3		16.8				28.9
Stagsden	597				53	16.3		23.9				26.5
Steventon	500					11.5		19.3				16.4
Thurleigh	538					13.3		20.1				26.2
Turvey	988		1			23.7		23.6				22.1
Wilden	411					9.6		20.5				12.7
Willington	332					5.2		18.5				25.0
Wilshamstead	1					16.6		18.1				$19.1 \\ 24.1$
Wootton						27.2		23.2				15.6
Yielden	276	320	328	122		7.8		24.0			19	10.0
T-4.1 C		00501	00000	F 100		40	0.2	20.0			1509	20.2
Totals for the rural	21074	22581	23820	74	80	49	0.3	20,9			1000	20.2
parishes.												
Totala for 17 TT	00000	21750	25519	11061	1 10070	70	9.7		21.3		2342	21.4
Totals for the Union	28033	31759	30013	11961	10972	70	8.7		21.0		23.2	
1	1		U.	J .		1					1	1

"At the Weekly Meeting of the Board of Guardians of the Bedford "Union, in the County of Bedford, held on Saturday, the 26th day of "November, 1853, Dr. Barker, M.D., presented to the Chairman a very "valuable Statistical Report of the Mortality of Bedford and fourteen "neighbouring parishes for sixteen years, ended the 30th of June last, "aecompanied by Meteorological Tables,—

Resolved that the especial thanks of this Board be presented to Dr. Barker for this interesting document, and that the Chairman be deputed to convey the same by letter to Dr. Barker, on behalf of the Guardians, and that a copy of such letter be entered on the minutes of the day.

"Turvey Abbey, November 29th, 1853.

"My dear Sir,

"On Saturday last there was presented to the Board of Guardians of the Bedford Union from yourself a very valuable Statistical Report of the Mortality of Bedford and its neighbourhood, accompanied by Meteorological Tables, and other interesting matter. The Board desire me to express to you the high sense which they entertain of the zeal and diligence which you have displayed in the Report alluded to, as well as of the scientific and practical importance of the Report itself; and beg to offer you their best thanks for so elaborate and valuable a document. Permit me also to assure you of the obligation which I feel in having had addressed to me as Chairman, Tables so important, as in my opinion to add not inconsiderably to the Statistical information of the country.

"Allow me to be, my dear Sir,
"Very faithfully yours,
"CHARLES LONGUET HIGGINS.

"To T. Herbert Barker, Esq., M.D.
"&e., &e."

